



Il vaccino del papilloma virus HPV



**Ci hanno detto che serve a proteggere
dal cancro all'utero**



Ecco cosa dice Diane Harper



**Lavora presso Università del Missouri a
Kansas City, principal investigator negli studi
clinici per verificare la sicurezza dei vaccini
HPV**



INTERVISTA A DIANE HARPER




**“Le aziende produttrici del vaccino
hanno omesso di dire che...”**




1. Il 70-90% delle infezioni da HPV, si risolve spontaneamente grazie all'intervento del sistema immunitario della donna

- ***Frazer, I.H., Cox, J.T., Mayeaux, E.J. et al.,
"Advances in prevention of cervical
cancer and other Human Papillomavirus-
related diseases", in Ped Infect Dis J, vol.
25, 2006, S65-81***
-

- **Del resto è anche una notizia ufficiale riportata sul Bollettino Epidemiologico Nazionale dell'Istituto Superiore di Sanità (vol. 20, n. 1, gennaio 2007)**
-



Esistono almeno 120 tipi diversi di virus HPV, mentre il vaccino può proteggere solo da 2 (cervarix) o da 4 tipi (gardasil)



Poiché lo sviluppo dei tumori richiede molti anni, risulta difficile asserire che la vaccinazione contro il papillomavirus possa prevenire il tumore della cervice.



2. La Merck & Co, produttrice del Gardasil, ha fatto asserzioni come se il vaccino protegga per tutta la vita



3. Non ha menzionato la necessità di richiami oppure la limitata protezione offerta dal vaccino



La bugia...



Il vaccino previene l'infezione dal virus HPV, non previene lo sviluppo del cancro all'utero!

- Un pericolo dell'immunizzazione selettiva dei vaccini Cervarix e Gardasil è dato dalla possibilità che i ceppi non correlati alla vaccinazione possano emergere come sierotipi oncogenici – ossia i tipi di virus non attaccati dal vaccino emergono incontrastati come oncogeni, pare, cioè, siano poi loro i favoriti a proliferare (!!)
-

- *Sawaya, G.F., Smith-McCune, K., “HPV vaccination – more answers, more questions”, in New England Journal of Medicine, vol. 356, 2007, pp. 1991-1993.*
-



Il vaccino è esente da rischi?

Reazioni avverse

- Gonfiore
 - Eruzioni cutanee
 - Allergie al vaccino
 - Visione offuscata
-

- Convulsioni
 - Crisi epilettica
 - Paralisi parziale
 - Ipoestesia
 - Emiparesi
 - Ricoveri d'urgenza (1.100 casi)
 - Morte (66 decessi sino al 2012)
-

- In India, le vaccinazioni contro il HPV sono state sospese dopo la morte di quattro ragazze (data 30 aprile 2010)

Il caso India

- Negli USA, su 42 donne incinte che hanno ricevuto il vaccino Gardasil, 18 hanno avuto reazioni avverse come aborto spontaneo e danni fetali.
-

Come se non bastasse...


- È stata osservata un'alta incidenza di pap test anormali e di malattia da HPV nelle donne vaccinate...
-

Inoltre..

**Il vaccino contiene
Polisorbate-80**

- Il polisorbate-80 ha dimostrato di provocare sterilità nei ratti, di conseguenza è altamente probabile che possa accadere la stessa cosa negli esseri umani.
-

- Come mai non si sono preoccupati di verificare questa evenienza?



- In Australia una ragazza di 16 anni, dopo aver assunto Gardasil, ha subito la distruzione delle ovaie e ora è in premenopausa.
-

Non finisce qui...

- Il polisorbate-80 ha la capacità di attraversare la barriera ematoencefalica
-

- Lo dimostra il fatto che è contenuto in alcuni farmaci allo scopo di trascinarli nel cervello.
-

- Il polisorbate-80 dà frequentemente reazioni anafilattoidi.



- Gardasil contiene anche L-istidina



- È un amminoacido che abbiamo anche noi nel nostro corpo. Quando però viene iniettato, il nostro corpo lo giudica un nemico, attaccandolo.
-

- Il risultato sarà una carenza di L-istidina naturale.
-

- Artrite reumatoide
- Aborti spontanei
- Mancanza di desiderio sessuale
- Assenza dell'orgasmo

conseguenze

- Gardasil
contiene
alluminio, un
potente veleno
per il SNC



Ancora...

Death after Quadrivalent Human Papillomavirus (HPV) Vaccination: Causal or Coincidental?

Lacija Tomljenovic¹ and Christopher A Shaw^{1,2,3}

¹Department of Ophthalmology and Visual Sciences, University of British Columbia, Canada

²Program in Experimental Medicine, University of British Columbia, Canada

³Program in Neuroscience, University of British Columbia, Canada

Abstract

Background: The proper understanding of a true risk from vaccines is crucial for avoiding unnecessary adverse reactions (ADRs). However, to this date no solid links or criteria have been established to determine whether adverse events are causally linked to vaccinations.

Objectives: This research was carried out to determine whether or not some serious autoimmune and neurological ADRs following HPV vaccination are causal or merely coincidental and to validate a biomarker-based immunohistochemical (IHC) protocol for assessing causality in case of vaccination-suspected serious adverse neurological outcomes.

Methods: Post-mortem brain tissue specimens from two young women who suffered from cerebral vasculitis-type symptoms following vaccination with the HPV vaccine Gardasil were analysed by IHC for various immuno-inflammatory markers. Brain sections were also stained for antibodies recognizing HPV-16L1 and HPV-18L1 antigen which are present in Gardasil.

Results: In both cases, the autopsy revealed no anatomical, microbiological nor toxicological findings that might have explained the death of the individuals. In contrast, our IHC analysis showed evidence of an autoimmune vasculitis potentially triggered by the cross-reactive HPV-16L1 antibodies binding to the wall of cerebral blood vessels in all examined brain samples. We also detected the presence of HPV-16L1 particles within the cerebral vasculature with some HPV-16L1 particles adhering to the blood vessel walls. HPV-18L1 antibodies did not bind to cerebral blood vessels nor any other neural tissues. IHC also showed increased T-cell signaling and marked activation of the classical antibody-dependent complement pathway in cerebral vascular tissues from both cases. This pattern of complement activation in the absence of an active brain infection indicates an abnormal triggering of the immune response in which the immune attack is directed towards self-tissue.

Conclusions: Our study suggests that HPV vaccines containing HPV-16L1 antigens pose an inherent risk for triggering potentially fatal autoimmune vasculopathies.

Practice implications: Cerebral vasculitis is a serious disease which typically results in fatal outcomes when undiagnosed and left untreated. The fact that many of the symptoms reported to vaccine safety surveillance databases following HPV vaccination are indicative of cerebral vasculitis, but are unrecognized as such (i.e., intense persistent migraines, syncope, seizures, tremors and tingling, myalgia, locomotor abnormalities, psychotic symptoms and cognitive deficits) is a serious concern in light of the present findings. It thus appears that in some cases vaccination may be the triggering factor of fatal autoimmune/neurological events. Physicians should be aware of this association.

**Studio scientifico mostra come il vaccino
quadrivalente contro il papilloma virus possa
innescare vasculopatie autoimmuni mortali**

Log In •

[Home](#)
[Latest News](#)

FIND AN ARTICLE

Like

12k

Donate

Memorial

Those who have died following Gardasil vaccination

Jenny Tetlock (California – Northern) was a 15-year-old girl battling a rapidly degenerative neurological disease that some MDs think MAY be linked to the HPV vaccine she received shortly before her first symptoms appeared. (There is no scientific proof one way or the other but Dr Diane Harper, leading researcher who helped design and carry out Phase II and Phase III safety and effectiveness studies to get Gardasil approved and acted as a consultant to Merck, believes that the possibility of a 'triggering of a genetic disorder within a family has to be considered seriously'. Jenny passed away on March 15, 2009 surrounded by her family. [Jenny's Journey](#) gives more details of the events surrounding this young girl's sudden illness following her Gardasil vaccination.

LINKS

[FDA Powerpoint 03-06.](#)
[Join Our Forum](#)
[Women Hurt By Medici Blog](#)

CALENDAR

April 2013

M	T	W	T	F	S	S
1	2	3	4	5	6	7
8	9	10	11	12	13	14

Ragazze morte dopo vaccinazione HPV

In conclusione...

- Il vaccino HPV è:

- **Inutile**

- **Potenzialmente pericoloso**

E allora?



È solo business!!!!!!!



**I proprietari delle
multinazionali farmaceutiche...**



**Si comprano auto di
lusso...**



Barche...



Ville lussuose...



**Con i nostri soldi...e
imbrogliandoci.**

Domanda...

**Quei medici che consigliano la
vaccinazione HPV...**

**Su quali presupposti la
consigliano?**



I miei due libri pubblicati
